

GU FERCO

Europa

Sprung Door Locks

Features

Available in 28mm and 35mm backsets. 92mm centres.
 Available in a choice of actions - standard lever / lever and Nightlatch. Easy reversible die-cast zamak latch.
 Central and remote steel deadbolts have 20mm projection.
 Forged tempered steel claws with 23mm projection operate in the same direction to prevent binding if door sash drops.
 Adjustable compression roller cams and adjustable anti-jemmy steel mushroom cams.
 Manufactured to ISO 9001 Standard. Door locks are manufactured from high quality steel and die-cast zamak components. The visible surfaces are FerGUard coated to withstand in excess of 500 hours salt spray testing.



Ordering Codes

Part Number	Description	Backset	Box Qty.
Europa Lever / Lever			
FER32580	1 Deadbolt, 4 Rollers	35mm	5
FER32770	2 Mushrooms, 2 Rollers	35mm	5
FER32754	3 Deadbolts	35mm	5
FER32218	3 Deadbolts Offset	35mm	5
FER32486	1 Deadbolt, 2 Claws	35mm	5
FER32602	1 Deadbolt, 2 Claws, 2 Rollers	35mm	5
FER32581	1 Deadbolt, 4 Rollers	28mm	5
FER32771	2 Mushrooms, 2 Rollers	28mm	5
FER32755	3 Deadbolts	28mm	5
FER32219	3 Deadbolts Offset	28mm	5
FER32487	1 Deadbolt, 2 Claws	28mm	5
Europa Nightlatch			
FER32600	1 Deadbolt, 2 Claws	35mm	5
FER32610	1 Deadbolt, 2 Claws, 2 Rollers	35mm	5
FER32694	1 Deadbolt, 4 Roller	35mm	5
Note:	To obtain Nightlatch operation a Split Spindle Kit should be used (see below). Split Spindle Kits are profile specific, please contact our Sales Office for which kit you will require.		
Europa Nightlatch Split Spindle Kits			
FER46746B	1/2 Spindle	54mm	10
FER46746C	1/2 Spindle	64mm	10
FER46746D	1/2 Spindle	74mm	10

Shootbolts & Extensions

See pages 151 and 155 for details.

Note: All sprung door locks require unsprung handles sets see pages 195, 197, 201, 203, 205, 207 and 208.



Window Ware

Telford Way
 Cross Park
 Bedford
 MK42 0PQ

Web Site

www.windowware.co.uk

E-mail

sales@windowware.co.uk

Sales

Telephone 01234 242724

Fax 01234 242700/1

Trade Counter


Telephone 01234 242734

Fax 01234 242735

ISO 9001 : 2000

Certificate No. 4010475

Technical Specification



Europa Lever / Lever

FER32580 - 35mm Backset
FER32581 - 28mm Backset

Europa Lever / Lever

FER32770 - 35mm Backset
FER32771 - 28mm Backset

Window Ware

Telford Way

Cross Park

Bedford

MK42 0PQ

Web Site

www.windowware.co.uk

E-mail

sales@windowware.co.uk

Sales

Telephone 01234 242724

Fax 01234 242700/1


Trade Counter

Telephone 01234 242734

Fax 01234 242735

ISO 9001 : 2000

Certificate No. 4010475



Window Ware

Telford Way
 Cross Park
 Bedford
 MK42 0PQ

Web Site

www.windowware.co.uk

E-mail

sales@windowware.co.uk

Sales

Telephone 01234 242724

Fax 01234 242700/1

Trade Counter


Telephone 01234 242734

Fax 01234 242735

ISO 9001 : 2000

Certificate No. 4010475

Technical Specification



Window Ware

Telford Way
 Cross Park
 Bedford
 MK42 0PQ

Web Site

www.windowware.co.uk

E-mail

sales@windowware.co.uk

Sales

Telephone 01234 242724

Fax 01234 242700/1

Trade Counter

Telephone 01234 242734

Fax 01234 242735

ISO 9001 : 2000

Certificate No. 4010475